

HS: Entendiendo la carga de la enfermedad

Entendiendo la carga de la enfermedad

La Hidradenitis Suppurativa se asocia con una elevada carga de la enfermedad.

- Se ha demostrado de la HS tiene un impacto negativo grande o extremadamente grande en la CdV hasta en el 60% de los pacientes que viven con la afección.¹
- La HS se asocia con una marcada reducción de la CdV con respecto a las actividades diarias y los síntomas y sentimientos (como lo muestra la puntuación DLQI)^{1,2}
- Los pacientes con HS a menudo experimentan dolor asociado con los nódulos inflamatorios (calificación del dolor VAS 4.5)¹

Calidad de vida

La HS es la patología con mayor impacto en CdV vs. otras patologías dermatológicas¹⁻²

Image

Patología	Puntuación DLQI
Hidradenitis suppurativa ^{1,2,5}	8,4 - 12,7
Alopecia ^{1,6}	8,3
Acné ^{1,7}	7,5
Psoriasis (leve-moderada) ¹	7
Anomalías vasculares en la cara ¹	5,6
Dermatitis atópica ¹	5,5

Los pacientes con HS tienen un alto impacto en todas las facetas de su vida (física, emocional, financiera)^{5,8,9}


Referencias

1. von der Werth JM and Jemec GB. Morbidity in patients with hidradenitis suppurativa. Br J Dermatol. 2001;144(4):809-813;
2. Onderdijk AJ, et al. Depression in patients with hidradenitis suppurativa. J Eur Acad Dermatol Venereol. 2013;27(4):473-478;
5. Matusiak L, et al. Hidradenitis suppurativa markedly decreases quality of life and professional activity. J Am Acad Dermatol. 2010;62:706-708;
6. Williamson D, et al. The effect of hair loss on quality of life. J Eur Acad Dermatol Venereol. 2001;15(2):137-139;
7. Mallon E, et al. The quality of life in acne: a comparison with general medical conditions using generic questionnaires. Br J Dermatol. 1999;140(4):672-676
8. Matusiak L. The end of the beginning or the beginning of the end? Br J Dermatol. 2018;179(1):14-15;
9. Balieva F, et al. The burden of common skin diseases assessed with the EQ5D™: a European multicentre study in 13 countries. Br J Dermatol. 2017;176(5):1170-1178.

Comorbilidades

Image

PREVALENCIA DE COMORBILIDADES EN PACIENTES CON HS



Referencias

1. von der Werth JM and Jemec GB. Morbidity in patients with hidradenitis suppurativa. Br J Dermatol. 2001;144(4):809-813;
2. Onderdijk AJ, et al. Depression in patients with hidradenitis suppurativa. J Eur Acad Dermatol Venereol. 2013;27(4):473-478;
5. Matusiak L, et al. Hidradenitis suppurativa markedly decreases quality of life and professional activity. J Am Acad Dermatol. 2010;62:706-708;
6. Williamson D, et al. The effect of hair loss on quality of life. J Eur Acad Dermatol Venereol. 2001;15(2):137-139;
7. Mallon E, et al. The quality of life in acne: a comparison with general medical conditions using generic questionnaires. Br J Dermatol. 1999;140(4):672-676
8. Matusiak L. The end of the beginning or the beginning of the end? Br J Dermatol. 2018;179(1):14-15;
9. Balieva F, et al. The burden of common skin diseases assessed with the EQ5D™: a European multicentre study in 13 countries. Br J Dermatol. 2017;176(5):1170-1178.

Referencias

1. Zouboulis CC, et al. J Eur Acad Dermatol Venereol. 2015;29:619-44;
2. Dufour D, et al. Postgrad Med J. 2014;90:216-21.

Source URL: <https://www.pro.novartis.com/ar-es/node/1716>