

Cosentyx 300mg UnoReady Pen
Image



All the benefits of Cosentyx 300mg in **ONE UnoReady® Pen¹**

Image

ONE

maintenance injection
every month for patients
on 300 mg dose^{1*}

100%

of patients were
satisfied or
very satisfied^{2†}

**ALMOST
ZERO**

injection site reactions
(only 0.1 per 100 injections)^{2‡}

Cosentyx UnoReady pen self-injection video.

Cosentyx® (secukinumab) UnoReady® pen
self-injection video

VIDEO

Image

Designed for patients' comfort and convenience

Easy pull-off cap and concealed needle¹

Patients can self-inject safely and confidently with a latex-free device

Viewing window¹

Clear confirmation clicks¹

Patients can hear audio signals clearly when injection starts and is almost finished

No button to press¹

Push-on-skin release for simple and ergonomic handling





- Rheumatology Prescribing Codes
- Dermatology Prescribing Codes



Image

PBS Item Code	Indication	Treatment Phase	Max Qty	Repeats
14955D	Severe Psoriatic Arthritis	Initial Treatment – Initial 1,2,3	4	0
15018K	Severe Psoriatic Arthritis	Continuation	1	5
15027X	Severe Psoriatic Arthritis	Initial 1,2,3 balance of supply	1	2
14957F	Ankylosing Spondylitis	Initial Treatment – Initial 1,2,3	4	0
15029B	Ankylosing Spondylitis	Continuation	1	5
14956E	Ankylosing Spondylitis	Initial 1, 2, 3 insufficient treatment (balance of supply)	1	2

Image

PBS Item Code	Indication	Treatment Phase	Max Qty	Repeats
15028Y	Severe Psoriasis	Initial Treatment – Initial 1,2,3	4	0
14972B	Severe Psoriasis	Continuation	1	5
14971Y	Severe Psoriasis	Initial 1,2,3 balance of supply	1	2
14154Y	Hidradenitis Suppurativa 150	Initial Treatment – Initial 1,2,3	4	0
14161H	Hidradenitis Suppurativa 150	Initial 1,2,3	1	3
15004Q	Hidradenitis Suppurativa 300	Initial Treatment – Initial 1,2,3	4	0
15030C	Hidradenitis Suppurativa 300	Initial 1,2,3	1	3
14970X	Hidradenitis Suppurativa 300	Continuation	1	5
14983N	Hidradenitis Suppurativa 300	Initial 1,2,3 balance of supply	1	3

Find out more about the Cosentyx patient support program



Patient Support Program

Article - 26 Mar 2025

Patient Support Program

[Facebook](#) [X](#) [Linkedin](#)

[See more details](#)

Hide details

* For patients with Hidradenitis Suppurativa, a maintenance dose of 300 mg every 2 weeks may be prescribed.

† In the MATURE trial, a randomised, double-blind, placebo-controlled, multicenter 52-week study, the efficacy, safety and pharmacokinetics of Cosentyx as administered by the 300 mg pen were evaluated in patients with moderate to severe plaque psoriasis. All patients (n=37) in the active 300 mg pen arm reported being satisfied or very satisfied with the device at Week 28 in a self-injection assessment questionnaire.²

‡ In the same clinical study, of the 854 active injections administered in the 300 mg pen arm, only 1 injection site reaction was reported through Week 48.²

Adverse events: Very common ($\geq 10\%$) nasopharyngitis. Common (≥ 1 to $<10\%$): upper respiratory tract infection, rhinitis, pharyngitis, oral herpes, diarrhoea,

urticaria, dermatitis (including eczema), rhinorrhoea, headache, nausea, hypercholesterolemia

References: **1.** Cosentyx Approved Product Information. March 2025. **2.** Sigurgeirsson B et al. Dermatol Ther. 2022;35(3):e15285. doi:10.1111/dth.15285. doi:10.1111/jdv.12751.

Please refer to the full Cosentyx Prescribing Information [here](#)

Please refer to the full Cosentyx Consumer Medicine Information [here](#)

PBS Information: Section 85 Authority Required for the treatment of severe chronic plaque psoriasis, active ankylosing spondylitis, severe psoriatic arthritis, non-radiographic axial spondyloarthritis and hidradenitis suppurativa. Refer to PBS Schedule for full Authority information.

▼This medicinal product is subject to additional monitoring in Australia due to approval of an extension of indications. This will allow quick identification of new safety information. Healthcare professionals are asked to report any suspected adverse events at www.tga.gov.au/reporting-problems.

Source URL: <https://www.pro.novartis.com/au-en/cosentyx-300mg-unoready-pen>