[illegible]

[illegible]

[illegible]CML[illegible]

CML[illegible]

[illegible]GIST[illegible]

[illegible]

[illegible]

- [illegible]2023[illegible]1[illegible]

[illegible]

- [illegible]2023[illegible]1[illegible]

[illegible]

- 2023[illegible]1[illegible]

[illegible]

- [illegible]100mg

[illegible]

- [illegible]100mg
- [illegible]100mg PTP[illegible]2[illegible]
- [illegible]100mg PTP[illegible]10[illegible]

[illegible]

- 2023[illegible]1[illegible]

[illegible]

[illegible]

- □□□□□□□CML□_□□□□□□□□□□□□□_CSTI571AJP03_20200406

□□□□□□□□□□□□

- □□□□□□□ALL□_□□□□□□□□□□□□□_CSTI571I1401_20200406

□□□□□□□□□□

□Global registry

- □□□□□□□GOLDreGISTry□_□□□□□□□□□□□□□_CSTI571B2404_20200406

□□□

- □□□□□□□GIST□_□□□□□□□□□□□□□_CSTI571BJP05_20200406

□□□□□□□□□□□□□□□□□□□□□□□□□

- CSTI571L1401_CSR_20230414

□□□□□□□□□□□□□□□□□□

□□□□□□□

Source URL: *https://www.pro.novartis.com/jp-ja/products/glivec/document*